

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2773	709/226.ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/09/11 13:53
S2	2473	709/226.ccls. and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/09/18 15:25
S10	339	(Eilam.in. or Fong.in. or Hunt.in. or Kalantar.in. or Mummert.in. or Pershing.in.) and resourc\$4 and servic\$4 and (prov\$7 or allocat\$5) and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/09/11 18:25
S12	511130	(resourc\$5 or servic\$5) same (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 13:53
S15	247894	(resourc\$5 or servic\$5) near5 (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 13:54
S16	237974	(resourc\$5 or servic\$5) near5 (configur\$7 or custom\$7 or initializ\$3 or reconfigur\$7 or reset\$3 or setup or set\$3 or tailor\$3 or attribute\$1 or value\$1 or variable\$1 or field\$1 or parameter\$1 or argument\$1 or parametre\$1 or setting\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 13:55
S18	27380	(resourc\$5 or servic\$5) near5 (match\$3 or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 17:00
S19	13628	S15 and S16 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:19

EAST Search History

S21	93305	(resourc\$5 or servic\$5) near5 (structure or model or topology or organization or arrangement or configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:31
S22	7943	S15 and S16 and S18 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/12 14:32
S24	6280	S15 and S16 and S18 and S21 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 08:14
S25	5401	resource adj manager and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 08:32
S26	248251	(resourc\$5 or servic\$5) near5 (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 08:33
S27	238328	(resourc\$5 or servic\$5) near5 (configur\$7 or custom\$7 or initializ\$3 or reconfigur\$7 or reset\$3 or setup or set\$3 or tailor\$3 or attribute\$1 or value\$1 or variable\$1 or field\$1 or parameter\$1 or argument\$1 or parametre\$1 or setting\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 08:33
S28	27439	(resourc\$5 or servic\$5) near5 (match\$3 or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 13:12

EAST Search History

S29	93446	(resourc\$5 or servic\$5) near5 (structure or model or topology or organization or arrangement or configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 13:12
S30	584	S26 and S27 and S28 and S29 and (resource adj manager) and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 08:34
S31	77	(resourc\$5 near3 instance) near5 (match\$3 or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/13 13:12
S33	17	(request\$3 near3 resource adj structure) or (desir\$3 near3 resource adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 08:43
S38	520	((action or instruction) adj set) and precondition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:35
S40	30	((action or instruction) adj set) same precondition) and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:30
S41	1314	((action or instruction) adj set) same (precondition or requirement)) and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:43

EAST Search History

S42	68170	(aggregat\$3 or gather\$3 or collect\$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:50
S44	1644	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction)) same (precondition or requirement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:51
S45	214551	((execut\$3) near3 (action or instruction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 15:52
S46	98	S42 and S44 and S45 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 16:08
S47	298	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction)) same ((precondition or requirement or prerequisite) near3 (satisf\$6 or conform\$3 or compl\$4 or compliance or meet\$3 or met))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 16:09
S48	29	S42 and S47 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/18 16:10
S49	441	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction or task)) same ((precondition or requirement or prerequisite) near5 (satisf\$6 or conform\$3 or compl\$4 or compliance or meet\$3 or met))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 08:27

EAST Search History

S50	80449	(aggregat\$3 or gather\$3 or collect\$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction or task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 17:10
S51	54	S50 and S49 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 17:15
S52	6	((aggregat\$3 or gather\$3 or collect\$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction or task)) same map\$5 same updat\$3 same resource same (server or application or module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 17:13
S53	443	((select\$3 or pick\$3 or choos\$3) near3 (action or instruction or task)) same ((precondition or requirement or prerequisite) near5 (satisf\$6 or conform\$3 or compl\$4 or compliance or meet\$3 or met))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 17:15
S54	80623	(aggregat\$3 or gather\$3 or collect\$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction or task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 17:15

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	223	(Eilam.in. or Fong.in. or Hunt.in. or Kalantar.in. or Mummert.in. or Pershing.in.) and (((provis\$7 or alloc\$7 or manag\$7) with resourc\$5) same (request\$3 or description or describ\$3 or requir\$5 or specification or specif\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/26 10:14
S2	319	IBM.as. and (((provis\$7 or alloc\$7 or manag\$7) with resourc\$5) same (request\$3 or descri\$6 or requir\$5 or specification or specif\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/26 10:15
S3	183	S1 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/26 10:15
S4	241	S2 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/26 10:16
S5	239398	(resourc\$5 or servic\$5) with (structure or model or description or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:57
S6	410808	(resourc\$5 or servic\$5) with (request\$3 or description or describ\$3 or requir\$5 or specification or specif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:57
S7	353476	(network) with (structure or model or description or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:57

EAST Search History

S8	62088	S5 and S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:56
S9	83106	(resourc\$5 or servic\$5) near3 (structure or model or description or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:58
S10	234625	(resourc\$5 or servic\$5) near3 (request\$3 or description or describ\$3 or requir\$5 or specification or specif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:57
S11	159783	(network) near3 (structure or model or description or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 10:01
S12	16443	S9 and S10 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:58
S13	71857	(resourc\$5 or servic\$5) near3 (structure or model or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 09:59
S14	150082	(network) near3 (structure or model or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 10:02

EAST Search History

S15	14418	S10 and S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 10:03
S17	57855	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:26
S18	6490	709/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:26
S19	2805	709/226.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:28
S20	722	S19 and S10 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:32
S21	7333	(creat\$3 or construct\$3 or make or making or made or build\$3 or assembl\$3 or generat\$3) near5 S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/28 08:58
S22	108	S19 and S10 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:36

EAST Search History

S23	94	S22 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:38
S24	201	S18 and S10 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:38
S25	174	S24 and (@ad < "20040211" or @rlad < "20040211")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:38
S27	11138	(creat\$3 or construct\$3 or make or making or made or build\$3 or assembl\$3 or generat\$3) with (resource) with (structure or model or description or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/28 09:00
S28	1819	(creat\$3 or construct\$3 or make or making or made or build\$3 or assembl\$3 or generat\$3) near3 (resource) near3 (structure or model or description or organization or arrangement or configuration or architecture or layout)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/28 09:00
S29	862432	(use or using or from or (based adj on) or "with" or (by adj (way or means)) or via or employ\$3 or utili\$7) near3 (request\$3 or describ\$3 or description or requir\$5 or specification or specif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/28 09:03
S30	83	S28 same S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/28 09:03